


Manufacturer	Equipment		Standard	Notification
	Designation	Configuration ⁽¹⁾		
L-3 Communications	eXaminer XLB	Detection Hardware: 10-70500-01 Detection Algorithm: 06.17 Auxiliary Software: 00.45	3	27/05/2011
L-3 Communications	eXaminer XLB	Detection Hardware: 10-70500-01 Detection Algorithm: 06.17 Auxiliary Software: 04	3	04/03/2013
L-3 Communications	eXaminer XLB	Detection Hardware: 10-70500-01 Detection Algorithm: 06.27 Auxiliary Software: 04 Tote: Crisplant - CrisBag® V5 SBT, Art. N°: 7308972	3	24/02/2015
L-3 Communications	eXaminer SX	Detection Hardware: 10-64987-01 Detection Algorithm: 5.11 Auxiliary Software: 01.01	3	03/08/2011
L-3 Communications	eXaminer 3DX-ES	Detection Hardware: 1000-11700-00 Detection Algorithm: 112.3 Auxiliary Software: 8.2	3	27/12/2011
L-3 Communications	MVT HR	Detection Hardware: 1000-10001-HR Detection Algorithm: 6.5.2Eg n200 Auxiliary Software: 5.3.11	2	17/04/2012
L-3 Communications	eXaminer 3DX	Detection Hardware: Part no: 200001 Detection Algorithm: 112.3 Auxiliary Software: 7.1	3	04/09/2012

Manufacturer	Equipment		Standard	Notification
	Designation	Configuration ⁽¹⁾		
L-3 Communications	eXaminer 3DX	<i>Detection Hardware:</i> Part no: 200001 <i>Detection Algorithm:</i> 112.3 <i>Auxiliary Software:</i> 8.2	3	04/09/2012
L-3 Communications	eXaminer 3DX	<i>System Hardware:</i> eXaminer 3DX <i>Detection Algorithm:</i> 112.5 <i>Machine software:</i> 10.1	3	12/07/2013
L-3 Communications	eXaminer 3DX-ES	<i>Detection Hardware:</i> 200001 <i>Detection Algorithm:</i> 112.5 <i>Auxiliary Software:</i> 10.1	3	19/11/2013
L-3 Communications	eXaminer SX	<i>Detection Hardware:</i> 10-64987-01 <i>Detection Algorithm:</i> 5.14 <i>Auxiliary Software:</i> 06	3	19/11/2013
L-3 Communications	MV3D	<i>Detection Hardware:</i> 1000-10001-D1 <i>Detection Algorithm:</i> 7.6.2 L200 <i>Auxiliary Software:</i> 1.0	3	19/11/2013
L-3 Communications	MV3D	<i>Detection Hardware:</i> 1000-10001-D1 <i>Detection Algorithm:</i> 7.6.2 S200 <i>Auxiliary Software:</i> 1.0	2	19/11/2013
L-3 Communications	MV3D	<i>Detection Hardware:</i> 1000-10001-D1 <i>Detection Algorithm:</i> 8.0.3 S200 <i>Auxiliary Software:</i> N/A	3	23/05/2014

Manufacturer	Equipment		Standard	Notification
	Designation	Configuration ⁽¹⁾		
Morpho Detection	XRD 3500	<i>System Hardware:</i> Varian MCS-7074A X-Ray Tube CANBERRA Germanium Detector <i>Detection Algorithm:</i> "Library "ECAC" -Nr 8.2.2.2	3	16/04/2010
Morpho Detection	CTX 9400 DSi	<i>System hardware:</i> CTX 9400 <i>Detection Algorithm:</i> GInsp_2.3.0 ECACa (Inspection) Recon_2.0.2 (Reconstruction)	3	25/04/2011
Morpho Detection	CTX 5800	<i>System Hardware:</i> CTX 5800 <i>Detection Algorithm:</i> Inspection: 5800 ECAC SB CB 2.17.7 Reconstruction: 3.1.2	3	24/06/2011
Morpho Detection	CTX 9800 DSi	<i>System Hardware:</i> CTX 9800 High-Speed Configuration 9800 ECAC HS CB 2.18.1 <i>Detection Algorithm:</i> (Inspection) 3.3.0 (Reconstruction)	3	18/04/2012
Morpho Detection	CTX 9800 DSi	<i>System Hardware:</i> CTX 9800 High-Speed with Checkerboard 9800 ECAC HS CB 2.18.6 <i>Detection algorithm:</i> (Inspection) 9800 CB 4.0.1 (Reconstruction)	3	10/04/2013
Morpho Detection	CTX 9800 DSi	<i>System Hardware:</i> CTX 9800 High-Speed with Checkerboard 9800 ECAC HS CB 2.18.17 <i>Detection algorithm:</i> (Inspection) 9800 CB HS 4.0.1 SC (Reconstruction)	3	21/02/2014

Manufacturer	Equipment		Standard	Notification
	Designation	Configuration ⁽¹⁾		
Morpho Detection	CTX 9800 DSi	<p><i>System Hardware:</i> CTX 9800 High-Speed with Checkerboard Modified 605577-1, per DW 1365.2</p> <p><i>Detection algorithm:</i> 9800 ECDMD HS CB 2.18.18 (Inspection) 9800 CB HS 4.0.1 SC (Reconstruction)</p>	3	21/02/2014
Morpho Detection	CTX 5500 DS	<p><i>System Hardware:</i> CTX 5500</p> <p><i>Detection algorithm:</i> p 17_0_0 (Inspection) trecon 3.0.0 (Reconstruction)</p>	3	26/04/2012
Morpho Detection	CTX 5800	<p><i>System Hardware:</i> CTX 5800 with Checkerboard</p> <p><i>Detection algorithm:</i> 5800 ECAC HS CB 2.18.6 (Inspection) 5800 CB 4.0.1 (Reconstruction)</p>	3	10/04/2013
Morpho Detection	CTX 5800	<p><i>System Hardware:</i> CTX 5800 with Checkerboard</p> <p><i>Detection algorithm:</i> 5800 ECAC SB CB 2.18.13 (inspection) 5800 CB 4.0.1 SC (reconstruction)</p>	3	19/11/2013
Morpho Detection	CTX 5800	<p><i>System Hardware:</i> CTX 5800 with Checkerboard</p> <p><i>Detection algorithm:</i> 5800 ECDMD SB CB 2.18.13 (inspection) 5800 CB 4.0.1 SC (reconstruction)</p>	3	19/11/2013
Morpho Detection	CTX 5800	<p><i>System Hardware:</i> CTX 5800 with Checkerboard</p> <p><i>Detection algorithm:</i> 5800 ECAC SB CB 2.18.13 (inspection) 5800 CB 4.0.1 SC (reconstruction)</p>	3	19/11/2013

Manufacturer	Equipment		Standard	Notification
	Designation	Configuration ⁽¹⁾		
Nuctech	XT2080	<i>System Hardware:</i> XT2080 <i>Algorithm:</i> EDS 1.1 <i>System software:</i> DPC 1.1	3	04/09/2012



Manufacturer	Equipment		Standard	Notification
	Designation	Configuration ⁽¹⁾		
Rapiscan	MVXR 5000	System Hardware: MVXR5000-Mk4 Algorithm: 6.3	2	18/04/2012
Rapiscan	RTT80	System Hardware: RTT80 Algorithm: 1.0.12 Auxiliary software: 7.02	3	18/04/2012
Rapiscan	RTT110	System Hardware: RTT110 Algorithm: 1.0.22 Auxiliary software: 8.13	3	14/05/2013
Rapiscan	RTT110	System Hardware: RTT110 Algorithm: 1.0.24 Auxiliary software: 8.13	3	21/02/2014



Manufacturer	Equipment		Standard	Notification
	Designation	Configuration ⁽¹⁾		
Reveal Imaging Technologies	CT80DR	System Hardware: CT80DR Algorithm System Software: 5.3.0.123 Algorithm Inspection Software: 4.2.14	3	07/07/2010
Reveal Imaging Technologies	CT-120	System hardware CT-120 Detection algorithm 5.20.3.3 5.20.3.5	3	21/02/2014



Manufacturer	Equipment		Standard	Notification
	Designation	Configuration ⁽¹⁾		
Smiths Detection	Hi-Scan 10080 EDtS	<i>System Hardware:</i> HS 10080 EDtS <i>Detection Algorithm:</i> 02-51-09	2	23/11/2009
Smiths Detection	Hi-Scan 10080 EDtS	<i>System Hardware:</i> HS 10080 EDtS <i>Detection Algorithm:</i> 07-32-09	2	19/11/2013
Smiths Detection	Hi-Scan 10080 EDX-2is	<i>System Hardware:</i> HS 10080 EDX-2is <i>Detection Algorithm:</i> 05-80-09	2	05/10/2010
Smiths Detection	Hi-Scan 10080 EDX-2is	<i>System Hardware:</i> HS 10080 EDX-2is <i>Detection Algorithm:</i> 08-01-09	2	21/02/2014
Smiths Detection	Hi-Scan 7555 aTiX	<i>Detection Hardware:</i> HS 7555 aTiX <i>Detection Algorithm:</i> 06-41-09-06-41-09-06-41-09	2	05/10/2011
Smiths Detection	Hi-Scan 10080 XCT	<i>System Hardware:</i> HS 10080 XCT <i>Detection Algorithm:</i> RR-07-05	3	04/09/2012
Smiths Detection	Hi-Scan 10080 XCT	<i>System Hardware:</i> HS 10080 XCT <i>Detection Algorithm:</i> 07-20-09	3	17/05/2013
Smiths Detection	Hi-Scan 10080 XCT	<i>System Hardware:</i> HS 10080 XCT <i>Detection Algorithm:</i> 08-27-16 <i>Tote:</i> Vanderlande Material n°: 011505-393-00001	3	14/08/2014
Smiths Detection	Hi-Scan 10080 XCT	<i>System Hardware:</i> HS 10080 XCT <i>Detection Algorithm:</i> 08-27-16 <i>Tote:</i> Vanderlande Material n°: 011505-890-00001	3	14/08/2014

Manufacturer	Equipment		Standard	Notification
	Designation	Configuration ⁽¹⁾		
Smiths Detection	Hi-Scan 10080 XCT	<i>System Hardware:</i> HS 10080 XCT <i>Detection Algorithm:</i> 08-27-16 <i>Tote:</i> Crisplant Material n°: CrisBag® V5 LBT 507B596.XXX, Art. n°: 7308974	3	14/08/2014
Smiths Detection	Hi-Scan 10080 XCT	<i>System Hardware:</i> HS 10080 XCT <i>Detection Algorithm:</i> 08-27-16 <i>Tote:</i> Crisplant Material n°: CrisBag® V5 SBT 507B595.XXX, Art. n°: 7308972	3	14/08/2014
Smiths Detection	Hi-Scan 10080 XCT	<i>System Hardware:</i> HS 10080 XCT <i>Detection Algorithm:</i> 08-27-16 <i>Tote:</i> FRAPORT Material n°: M020745	3	14/08/2014

Note: (1) Information on configuration is provided by the equipment manufacturer as part of the testing process.